$$R^{1} \longrightarrow SO_{2} \longrightarrow NH \longrightarrow N \longrightarrow Z$$

$$Q \longrightarrow R$$

where:

R¹ is

 C_1 - C_4 -alkyl, which may carry from one to five of the following groups: methoxy, ethoxy, SO_2CH_3 , cyano, chlorine, fluorine, SCH_3 , and $S(O)CH_3$, halogen,

a group ER¹⁹ in which E is O, S or NR²⁰,

COOR12,

NO₂,

 $S(O)_n R^{17}$, $SO_2 N R^{15} R^{16}$ or $CON R^{13} R^{14}$;

R² is hydrogen, methyl, halogen, methoxy, nitro, cyano, trifluoromethyl, trifluoromethoxy, difluoromethoxy or methylthio;

Y is F, CF₃, CF₂Cl, CF₂H, OCF₃, OCF₂Cl, C₁-C₄-alkyl or C₁-C₄-alkoxy;

X is C_1-C_2 -alkoxy, C_1-C_2 -alkyl, C_1-C_2 -alkylthio, C_1-C_2 -alkylamino, di- C_1-C_2 -alkylamino, halogen, C_1-C_2 -haloalkyl, C_1-C_2 -haloalkoxy;

R is hydrogen or methyl;

 R^{19} is C_1 - C_4 -alkyl, C_2 - C_4 -alkenyl, C_2 - C_4 -alkynyl or C_3 - C_6 -

cycloalkyl, each of which may carry from 1 to 5 halogen atoms. Furthermore, in the

case that E is O or NR²⁰, R¹⁹ is also methylsulfonyl, ethylsulfonyl,

trifluoromethylsulfonyl, allylsulfonyl, propargylsulfonyl or dimethylsulfamoyl;

R²⁰ is hydrogen, methyl or ethyl;

R¹² is a C₁-C₄-alkyl group which may carry up to three of the following radicals:

halogen, C₁-C₄-alkoxy, allyl or propargyl;

 R^{17} is a C_1 - C_4 -alkyl group which may carry from one to three of the following radicals: halogen, C_1 - C_4 -alkoxy, allyl or propargyl;

R¹⁵ is hydrogen, a C₁-C₂-alkoxy group or a C₁-C₄-alkyl group;

R¹⁶ is hydrogen or a C₁-C₄-alkyl group;

 R^{13} is H, C_1 - C_4 -alkyl, or C_1 - C_4 -alkoxy;

 R^{14} is C_1 - C_4 -alkyl;

n is 1 - 2; and

Z is N or CH.

12. (new) The solid mixture as claimed in claim 10, comprising a further herbicidally active compound c).

13. (new) The solid mixture as claimed in claim 10, comprising from 0.5 to 75% by weight of the component a).

14. (new) The solid mixture as claimed in claim 10, comprising from 1 to 50% by weight of the component b).

15. (new) The solid mixture as claimed in claim 10, comprising an alkylpolyglycoside

having a degree of polymerization of 1-3.

16. (new) The solid mixture as claimed in claim 15, comprising an alkylpolyglycoside having a degree of polymerization of 1-2.

17. (new) A method of controlling undesirable plant growth, which comprises treating the plants and/or the area to be kept free of the plants with a herbicidal amount of a solid mixture as claimed in claim 10.

18. (new) A process for preparing herbicide formulations, which comprises mixing a sulfonylurea with an alkylpolyglycoside.